

Annex H2

## Monitoring Results for Soft Shore Ecology

**Table H2.1 Results for Horseshoe Crabs during Qualitative Walk-through Surveys in September 2019**

Sighting #	Species	Prosomal Width (cm)	Total Length (cm)
<b>Monitoring Date: 10 September 2019 13:00-15:00</b>			
<b>Monitoring Station: TCB2</b>			
1	<i>Tachypleus tridentatus</i>	3.0	5.5
2	<i>Tachypleus tridentatus</i>	2.1	3.8
	<b>Mean (Range)</b>	<b>2.6 (2.1-3.0)</b>	<b>4.7 (3.8-5.5)</b>
<b>Monitoring Date: 11 September 2019 11:45-16:30</b>			
<b>Monitoring Station: TCB1</b>			
1	<i>Tachypleus tridentatus</i>	2.9	5.0
2	<i>Tachypleus tridentatus</i>	2.3	5.1
3	<i>Tachypleus tridentatus</i>	2.6	5.0
4	<i>Tachypleus tridentatus</i>	2.4	5.0
5	<i>Tachypleus tridentatus</i>	3.0	5.3
	<b>Mean (Range)</b>	<b>2.6 (2.3-3.0)</b>	<b>5.1 (5.0-5.3)</b>
<b>Monitoring Date: 11 September 2019 10:45-14:45</b>			
<b>Monitoring Station: TCB3</b>			
1	<i>Carcinoscorpius rotundicauda</i>	2.7	5.4
2	<i>Carcinoscorpius rotundicauda</i>	2.8	5.4
3	<i>Carcinoscorpius rotundicauda</i>	1.9	3.6
4	<i>Tachypleus tridentatus</i>	1.8	3.0
5	<i>Carcinoscorpius rotundicauda</i>	1.9	3.8
6	<i>Tachypleus tridentatus</i>	3.0	6.0
7	<i>Carcinoscorpius rotundicauda</i>	4.7	10.5
8	<i>Tachypleus tridentatus</i>	4.5	8.7
9	<i>Tachypleus tridentatus</i>	6.3	13.0
10	<i>Tachypleus tridentatus</i>	2.6	4.8
11	<i>Carcinoscorpius rotundicauda</i>	2.4	5.1
12	<i>Tachypleus tridentatus</i>	4.8	8.9
13	<i>Carcinoscorpius rotundicauda</i>	4.4	8.8
14	<i>Carcinoscorpius rotundicauda</i>	5.5	11.2
15	<i>Carcinoscorpius rotundicauda</i>	4.7	9.6
16	<i>Carcinoscorpius rotundicauda</i>	3.5	7.4
17	<i>Carcinoscorpius rotundicauda</i>	5.2	11.1
18	<i>Carcinoscorpius rotundicauda</i>	4.3	8.8
19	<i>Tachypleus tridentatus</i>	4.6	8.5
20	<i>Tachypleus tridentatus</i>	4.7	9.2
21	<i>Tachypleus tridentatus</i>	6.1	12.6
22	<i>Tachypleus tridentatus</i>	3.6	6.5
23	<i>Tachypleus tridentatus</i>	4.5	8.5
24	<i>Tachypleus tridentatus</i>	2.8	5.3
25	<i>Carcinoscorpius rotundicauda</i>	4.7	8.6
26	<i>Carcinoscorpius rotundicauda</i>	3.2	6.4
27	<i>Carcinoscorpius rotundicauda</i>	2.9	5.6
	<b>Mean (Range)</b>	<b>3.9 (1.8 - 6.3)</b>	<b>7.6 (3.0 - 13.0)</b>
<b>Monitoring Date: 12 September 2019 13:00-15:00</b>			
<b>Monitoring Station: THW</b>			
1	<i>Carcinoscorpius rotundicauda</i>	2.5	4.8
2	<i>Tachypleus tridentatus</i>	1.8	3.4
3	<i>Carcinoscorpius rotundicauda</i>	2.2	4.1
4	<i>Carcinoscorpius rotundicauda</i>	1.9	3.5
5	<i>Carcinoscorpius rotundicauda</i>	2.3	5.5
6	<i>Tachypleus tridentatus</i>	0.9	1.8
7	<i>Tachypleus tridentatus</i>	1.5	3.1
8	<i>Tachypleus tridentatus</i>	0.6	0.9

<b>Sighting #</b>	<b>Species</b>	<b>Prosomal Width (cm)</b>	<b>Total Length (cm)</b>
9	<i>Carcinoscorpius rotundicauda</i>	2.5	4.8
10	<i>Carcinoscorpius rotundicauda</i>	1.4	2.4
11	<i>Tachypleus tridentatus</i>	2.3	3.5
12	<i>Tachypleus tridentatus</i>	1.3	2.7
13	<i>Tachypleus tridentatus</i>	1.4	2.1
14	<i>Tachypleus tridentatus</i>	1.6	2.3
15	<i>Tachypleus tridentatus</i>	1.5	2.8
16	<i>Tachypleus tridentatus</i>	1.6	2.8
17	<i>Tachypleus tridentatus</i>	0.8	1.1
18	<i>Tachypleus tridentatus</i>	0.8	1.2
19	<i>Tachypleus tridentatus</i>	0.8	1.1
20	<i>Tachypleus tridentatus</i>	1.7	2.3
21	<i>Tachypleus tridentatus</i>	1.8	2.8
22	<i>Carcinoscorpius rotundicauda</i>	2.0	3.8
<b>Mean (Range)</b>		<b>1.6 (0.6 - 2.5)</b>	<b>2.9 (0.9 - 5.5)</b>

**Table H2.2 Results for Seagrass during Qualitative Walk-through Surveys in September 2019**

Sighting #	Species	Area (m2)	Area Coverage (%)	Seagrass Area (m2)
<b>Monitoring Date: 11 September 2019 10:45-14:45</b>				
<b>Monitoring Station: TCB3</b>				
1	<i>Halophila ovalis</i>	1.0	40%	0.4

**Table H2.3 Results for Other Intertidal Soft Shore Communities during Qualitative Walk-through Surveys in September 2019**

Monitoring Station	Shore Height *	No. of Species
TCB1	H	45
	M	42
	L	37
	<b>Overall</b>	<b>58</b>
TCB2	H	32
	M	32
	L	29
	<b>Overall</b>	<b>40</b>
TCB3	H	30
	M	33
	L	31
	<b>Overall</b>	<b>44</b>
THW	H	40
	M	32
	L	30
	<b>Overall</b>	<b>46</b>

\* H: +2mCD; M: +1.5mCD; L: +1mCD

**Table H2.4 Results for Other Intertidal Soft Shore Communities during Quantitative Transect Surveys in September 2019**

Monitoring Station	Shore Height *	Top Three Dominant Species	Density (ind. / m <sup>2</sup> )
TCB1	H	1 <i>Batillaria multiformis</i>	185.6
		2 <i>Cerithidea diadjariensis</i>	88.8
		3 <i>Monodonta labio</i>	52.8
	M	1 <i>Cerithidea diadjariensis</i>	99.2
		2 <i>Monodonta labio</i>	92.8
		3 <i>Cerithidea cingulata</i>	59.2
	L	1 <i>Batillaria zonalis</i>	122.4
		2 <i>Monodonta labio</i>	42.4
		3 <i>Lunella coronata</i>	21.6
TCB2	H	1 <i>Monodonta labio</i>	36.0
		2 <i>Cerithidea diadjariensis</i>	29.6
		3 <i>Planaxis sulcatus</i>	10.4
	M	1 <i>Cerithidea diadjariensis</i>	172.0
		2 <i>Cerithidea cingulata</i>	49.6
		3 <i>Batillaria zonalis</i>	5.6
	L	1 <i>Batillaria multiformis</i>	56.0
		2 <i>Cerithidea diadjariensis</i>	12.8
		3 <i>Lunella coronata</i>	10.4
TCB3	H	1 <i>Batillaria multiformis</i>	864.0
		2 <i>Cerithidea cingulata</i>	153.6
		3 <i>Cerithidea diadjariensis</i>	105.6
	M	1 <i>Cerithidea diadjariensis</i>	212.0
		2 <i>Batillaria multiformis</i>	118.4
		3 <i>Batillaria zonalis</i>	26.4
	L	1 <i>Batillaria zonalis</i>	62.4
		2 <i>Lunella coronata</i>	5.6
		3 <i>Nassarius festivus</i>	4.0
THW	H	1 <i>Nassarius festivus</i>	199.2
		2 <i>Cerithidea diadjariensis</i>	73.6
		3 <i>Cerithidea cingulata</i>	36.0
	M	1 <i>Nassarius festivus</i>	224.8
		2 <i>Cerithidea diadjariensis</i>	46.4
		3 <i>Cerithidea cingulata</i>	12.0
	L	1 <i>Cerithidea diadjariensis</i>	219.2
		2 <i>Batillaria zonalis</i>	96.8
		3 <i>Batillaria multiformis</i>	38.4

\* H: +2mCD; M: +1.5mCD; L: +1mCD

Group	Species	TCB1			TCB2			TCB3			THW		
		H	M	L	H	M	L	H	M	L	H	M	L
Algae	<i>Enteromorpha</i> spp.				+			++					
Anemone	<i>Haliplanella lineata</i>										+		
Barnacle	<i>Balanus amphitrite</i>	++	+	+	+	+	+	++	+	+	+	+	+
Bivalve	<i>Anomalocardia squamosa</i>			+			+	+	+	+			+
Bivalve	<i>Barbatia virescens</i>		+	+					+	+			
Bivalve	<i>Circe</i> sp.												+
Bivalve	<i>Coecella chinensis</i>	+		+							+	+	
Bivalve	<i>Corbula erythrodon</i>										+		
Bivalve	<i>Cyclina sinensis</i>	+						+	+			+	+
Bivalve	<i>Donax</i> sp.		+										
Bivalve	<i>Dosinia japonica</i>	+											
Bivalve	<i>Ervilia</i> sp.			+	+	+	+			+			
Bivalve	<i>Geloina erosa</i>	+	+	+	++	+	+	+	+		++	+	+
Bivalve	<i>Glaucanome chinensis</i>										+	+	+
Bivalve	<i>Gafrarium tumidum</i>					+							
Bivalve	<i>Laternula anatina</i>				+	+	+						
Bivalve	<i>Panopea generosa</i>	+											
Bivalve	<i>Saccostrea cucullata</i>	++	++	++	++	++	++	++	++	++	++	+	+
Bivalve	<i>Septifer virgatus</i>	+	+	+		+	+		+	+			
Bivalve	<i>Tapes variegatus</i>		+	+									
Bivalve	<i>Venerupis aspera</i>	+		+				+					
Bivalve	<i>Venerupis philippinarum</i>	+	+								+		
Chiton	<i>Acanthopleura japonica</i>			+									
Crab	<i>Clistoaeloma</i> sp.	+		+	+						+		
Crab	<i>Hemigrapsus sanguineus</i>	+	+	+	+	+	+	+	+	++	+	+	+
Crab	<i>Macrophthalmus</i> sp.	+	+	+	+	+	+		+	+	+	+	+
Crab	<i>Metaplazx longipes</i>										+	+	+
Crab	<i>Metapogapsus frontalis</i>	+	+	+	+	+	+		+	+	+	+	+
Crab	<i>Parasesarma pictum</i>										+	+	
Crab	<i>Perisesarma bidens</i>	++	+		+	+	+		+		+	+	+
Crab	<i>Philyra pisum</i>	+											
Crab	<i>Scopimera globosa</i>	+	+	+	+	+	+	+	+	+	++	+	+
Crab	<i>Thalmita crenata</i>										+	+	
Crab	<i>Uca borealis</i>	+	+	+		+		+			++	+	+
Crab	<i>Uca lactea</i>	++	++		++	++	++	++	++		++	++	++
Crab	<i>Uca crassipes</i>	+	+								++		
Crab	<i>Uca splendida</i>				+								
Crab	<i>Varuna litterata</i>											+	
Fish	<i>Terapon jarbua</i>										+	+	+
Fish	<i>Mugilidae</i> sp.										+		
Fish	<i>Periophthalmus cantonensis</i>	+	+	+	++	++	+	+	+		+	+	+
Gastropod	<i>Batillaria multiformis</i>	++	+	+	++	+	++	++	++	++	+	++	++
Gastropod	<i>Batillaria zonalis</i>	+	++	++	+	+	++	+	+	+	+	++	++
Gastropod	<i>Cellana grata</i>	+	+	+	+	+	+	+	+	+	+	+	+
Gastropod	<i>Cerithidea cingulata</i>	+	+	+	+	+	+	+	+	+	+	+	++
Gastropod	<i>Cerithidea diadjarimensis</i>	++	++	+	++	++	++	++	++	++	++	++	++
Gastropod	<i>Cerithidea microptera</i>				+			+			+	+	+
Gastropod	<i>Cerithidea rhizophorarum</i>			+				+					+
Gastropod	<i>Chlorostoma argyrostoma</i>		+								+		
Gastropod	<i>Clithon</i> spp.	+	+	+	+		+	+	+	+	+	+	+
Gastropod	<i>Echinolittorina radiata</i>						+						
Gastropod	<i>Echinolittorina malaccana</i>										+		
Gastropod	<i>Littoraria articulata</i>	++	+	+	++	+	+	++	+	+	+		
Gastropod	<i>Littoraria melanostoma</i>	+			+	+	+	+	+	+	+		
Gastropod	<i>Lunella coronata</i>	+	+	+		+	+	+	+	+			
Gastropod	<i>Monodonta labio</i>	++	++	++	++	+	++	++	++	+	+	+	
Gastropod	<i>Nassarius festivus</i>	+	+	+	+	+	+	+	+	+	+	+	+
Gastropod	<i>Nerita albicilla</i>	+				+	+						
Gastropod	<i>Nerita polita</i>	+	+	+			+	+	+	+	+	+	+
Gastropod	<i>Nipponacmea concinna</i>		+	+									
Gastropod	<i>Patelloida pygmaea</i>	+	+										
Gastropod	<i>Planaxis sulcatus</i>	+	+		+	+		+	+	+	+		
Gastropod	<i>Terebralia palustris</i>										+		
Gastropod	<i>Terebralia sulcata</i>	+	+	+				+	+	+	+	+	
Gastropod	<i>Thais clavigera</i>			+					+	+			
Hermit Crab	<i>Clibanarius</i> sp.	+	+	+	+	+	+	+	+	+	+	+	+
Horseshoe Crab	<i>Carcinoscorpius rotundicauda</i>					+							
Horseshoe Crab	<i>Tachypleus tridentatus</i>	+	+						+	+		+	+
Sea Slater	<i>Ligia oceanica</i>	+		+	+						+	+	+
Seaslug	<i>Onchidium</i> sp.	+	+		+						+		
Seagrass	<i>Halophila ovalis</i>										+		
Worm	<i>Ampharetidae</i> sp.	+									+	+	
Worm	<i>Harmothoe imbricata</i>			+									
Worm	<i>Ochetostoma erythrogrammon</i>		+										
Worm	<i>Oligochaete</i> sp.	+	+	+	+	+	+						
Worm	<i>Siphonoma</i> sp.		+					+	+				
Worm	<i>Sipunculus</i> sp.	+	+	+					+	+			
Worm	Ribbon Worm sp.	+	+	+	+	+							

Remark: '+' denotes the species was relatively rare at the area;  
 '++' denotes the species was relatively abundant at the area.

Group	Species	TCB1																			
		H1	H2	H3	H4	H5	Density (ind. / m <sup>2</sup> or % cover)	M1	M2	M3	M4	M5	Density (ind. / m <sup>2</sup> or % cover)	L1	L2	L3	L4	L5	Density (ind. / m <sup>2</sup> or % cover)		
Barnacle	<i>Balanus amphitrite</i>																			<5%	<5%
Bivalve	<i>Anomalocardia squamasa</i>																				
Bivalve	<i>Barbatia virescens</i>								3	3				4.8	9	1		2	3	12.0	
Bivalve	<i>Coecella chinensis</i>					1	0.8														
Bivalve	<i>Cyclina sinensis</i>		2				1.6														
Bivalve	<i>Ervilia sp.</i>						0.0									1				0.8	
Bivalve	<i>Geloina erosa</i>				4		3.2	2				1	2.4			1				0.8	
Bivalve	<i>Gafrarium tumidum</i>																				
Bivalve	<i>Laternula anatina</i>																				
Bivalve	<i>Panopea generosa</i>		1				0.8														
Bivalve	<i>Saccostrea cucullata</i>	<5%		5%	5%	<5%	<5%				25%	15%	8%	30%			20%	10%	12%		
Bivalve	<i>Septifer virgatus</i>				1	1	1.6	1					0.8	22					2	19.2	
Bivalve	<i>Tapes variegatus</i>											1	0.8			1			6	5.6	
Chiton	<i>Acanthopleura japonica</i>																		1	0.8	
Crab	<i>Hemigrapsus sanguineus</i>					1	0.8		4				3.2	3				3	4.8		
Crab	<i>Macrophthalmus sp.</i>																				
Crab	<i>Uca lactea</i>																				
Gastropod	<i>Batillaria multiformis</i>	150	5	25	45	7	185.6	10				2	9.6				3	6	7.2		
Gastropod	<i>Batillaria zonalis</i>	14	10	2	3	4	26.4	6		8	24	20	46.4	24	22	40	37	30	122.4		
Gastropod	<i>Cellana grata</i>							1					0.8					1	0.8		
Gastropod	<i>Cerithidea cingulata</i>	1	20	1			17.6	1	4	3	35	31	59.2								
Gastropod	<i>Cerithidea diadjarjensis</i>	1	25	85			88.8	4	11	28	40	41	99.2	5			10	2	13.6		
Gastropod	<i>Cerithidea microptera</i>																				
Gastropod	<i>Clithon spp.</i>							1					0.8								
Gastropod	<i>Littoraria articulata</i>					2	1.6														
Gastropod	<i>Lunella coronata</i>			3			2.4		4		2	1	5.6	18			3	6	21.6		
Gastropod	<i>Manodonta labio</i>	5	1	1	57	2	52.8	56	36	21	1	2	92.8	34		9	2	8	42.4		
Gastropod	<i>Nassarius festivus</i>									1	1		1.6		1	1		3	4.0		
Gastropod	<i>Nerita albicilla</i>																				
Gastropod	<i>Nerita polita</i>		1				0.8	2	1		1	3.2						1	0.8		
Gastropod	<i>Nipponacmea concinna</i>													1				1	1.6		
Gastropod	<i>Planaxis sulcatus</i>																				
Gastropod	<i>Terebralia sulcata</i>																				
Hermit Crab	<i>Clibanarius sp.</i>														3					2.4	
Seaslug	<i>Onchidium sp.</i>					1	0.8														
Worm	<i>Harmothoe imbricata</i>														1					0.8	
Worm	<i>Oligochaete sp.</i>																		1	0.8	
Worm	<i>Siphonoma sp.</i>								1				0.8								
Worm	<i>Sipunculus sp.</i>														2					1.6	



Group	Species	TCB2																		
		H1	H2	H3	H4	H5	Density (ind. / m <sup>2</sup> or % cover)	M1	M2	M3	M4	M5	Density (ind. / m <sup>2</sup> or % cover)	L1	L2	L3	L4	L5	Density (ind. / m <sup>2</sup> or % cover)	
Barnacle	<i>Balanus amphitrite</i>																			
Bivalve	<i>Anomalocardia squamosa</i>														2	1				2.4
Bivalve	<i>Barbatia virescens</i>																			
Bivalve	<i>Coecella chinensis</i>																			
Bivalve	<i>Cyclina sinensis</i>																			
Bivalve	<i>Ervilia sp.</i>					1	0.8	1	1				1.6			1				0.8
Bivalve	<i>Geloina erosa</i>	2					1.6	1			1	2	3.2							
Bivalve	<i>Gafrarium tumidum</i>										2		1.6							
Bivalve	<i>Laternula anatina</i>													2			1	1		3.2
Bivalve	<i>Panopea generosa</i>																			
Bivalve	<i>Saccostrea cucullata</i>				10%	<5%	<5%							10%	10%	5%				5%
Bivalve	<i>Septifer virgatus</i>																			
Bivalve	<i>Tapes variegatus</i>																			
Chiton	<i>Acanthopleura japonica</i>																			
Crab	<i>Hemigrapsus sanguineus</i>																			
Crab	<i>Macrophthalmus sp.</i>																			
Crab	<i>Uca lactea</i>																			
Gastropod	<i>Batillaria multiformis</i>															10	29	18	13	56.0
Gastropod	<i>Batillaria zonalis</i>									2		3	2	5.6		3			2	4.0
Gastropod	<i>Cellana grata</i>																			
Gastropod	<i>Cerithidea cingulata</i>	1					2	2.4	10	13	12	19	8	49.6		1				0.8
Gastropod	<i>Cerithidea diadjarjensis</i>	31					6	29.6	52	66	22	44	31	172.0		8	7		1	12.8
Gastropod	<i>Cerithidea microptera</i>	2						1.6												
Gastropod	<i>Clithon spp.</i>															1				0.8
Gastropod	<i>Littoraria articulata</i>																			
Gastropod	<i>Lunella coronata</i>														12			1		10.4
Gastropod	<i>Monadonta labio</i>	1	14	14	16			36.0												
Gastropod	<i>Nassarius festivus</i>															3				2.4
Gastropod	<i>Nerita albicilla</i>											1	0.8	1						0.8
Gastropod	<i>Nerita polita</i>																			
Gastropod	<i>Nipponacmea concinna</i>																			
Gastropod	<i>Planaxis sulcatus</i>				11	2		10.4												
Gastropod	<i>Terebralia sulcata</i>																			
Hermit Crab	<i>Clibanarius sp.</i>														1					0.8
Seaslug	<i>Onchidium sp.</i>					1	0.8													
Worm	<i>Harmothoe imbricata</i>																			
Worm	<i>Oligochaete sp.</i>																			
Worm	<i>Siphonosoma sp.</i>																			
Worm	<i>Sipunculus sp.</i>																			

Group	Species	TCB3																	
		H1	H2	H3	H4	H5	Density (ind. / m <sup>2</sup> or % cover)	M1	M2	M3	M4	M5	Density (ind. / m <sup>2</sup> or % cover)	L1	L2	L3	L4	L5	Density (ind. / m <sup>2</sup> or % cover)
Barnacle	<i>Balanus amphitrite</i>																		
Bivalve	<i>Anomalocardia squamosa</i>		1	1			1.6								1				0.8
Bivalve	<i>Barbatia virescens</i>																		
Bivalve	<i>Coecella chinensis</i>																		
Bivalve	<i>Cyclina sinensis</i>		3			1	3.2												
Bivalve	<i>Ervilia sp.</i>																		
Bivalve	<i>Geloina erosa</i>		2			1	2.4	2					1.6						
Bivalve	<i>Gafrarium tumidum</i>																		
Bivalve	<i>Laternula anatina</i>																		
Bivalve	<i>Panopea generosa</i>																		
Bivalve	<i>Saccostrea cucullata</i>			<5%	<5%	<5%	<5%	<5%			<5%		<5%	<5%	<5%	<5%	<5%	25%	9%
Bivalve	<i>Septifer virgatus</i>																		
Bivalve	<i>Tapes variegatus</i>																		
Chiton	<i>Acanthopleura japonica</i>																		
Crab	<i>Hemigrapsus sanguineus</i>																		
Crab	<i>Macrophthalmus sp.</i>																		
Crab	<i>Uca lactea</i>																		
Gastropod	<i>Batillaria multiformis</i>	200	100	250	260	270	864.0	35	3	40	65	5	118.4						
Gastropod	<i>Batillaria zonalis</i>	6	1	1	2	2	9.6	13	6	3	9	2	26.4	24	8	15	17	14	62.4
Gastropod	<i>Cellana grata</i>																		
Gastropod	<i>Cerithidea cingulata</i>	140		22		30	153.6				10		8.0						
Gastropod	<i>Cerithidea diadjariensis</i>	10	29	50	43		105.6	61	30	58	66	50	212.0	1	1				1.6
Gastropod	<i>Cerithidea microptera</i>																		
Gastropod	<i>Clithon spp.</i>				6	5	8.8	1	10		1		9.6						
Gastropod	<i>Littoraria articulata</i>																		
Gastropod	<i>Lunella coronata</i>								2		3	4.0				1	2	4	5.6
Gastropod	<i>Monodonta labio</i>							1			1	1.6				1			0.8
Gastropod	<i>Nassarius festivus</i>	1					0.8							1	2		2		4.0
Gastropod	<i>Nerita albicilla</i>																		
Gastropod	<i>Nerita polita</i>																		
Gastropod	<i>Nipponacmea concinna</i>																		
Gastropod	<i>Planaxis sulcatus</i>																		
Gastropod	<i>Terebralia sulcata</i>																		
Hermit Crab	<i>Clibanarius sp.</i>																		
Seaslug	<i>Onchidium sp.</i>																		
Worm	<i>Harmothoe imbricata</i>																		
Worm	<i>Oligochaete sp.</i>																		
Worm	<i>Siphonoma sp.</i>																		
Worm	<i>Sipunculus sp.</i>																		

Group	Species	THW																			
		H1	H2	H3	H4	H5	Density (ind. / m <sup>2</sup> or % cover)	M1	M2	M3	M4	M5	Density (ind. / m <sup>2</sup> or % cover)	L1	L2	L3	L4	L5	Density (ind. / m <sup>2</sup> or % cover)		
Barnacle	<i>Balanus amphitrite</i>																			<5%	<5%
Bivalve	<i>Anomalocardia squamosa</i>																			1	
Bivalve	<i>Barbatia virescens</i>																				
Bivalve	<i>Coecella chinensis</i>																				
Bivalve	<i>Cyclina sinensis</i>																				
Bivalve	<i>Ervilia sp.</i>																				
Bivalve	<i>Geloina erosa</i>	5	15	10	4	6	32.0				4	2	4.8					1			0.8
Bivalve	<i>Gafrarium tumidum</i>																				
Bivalve	<i>Laternula anatina</i>																				
Bivalve	<i>Panopea generosa</i>																				
Bivalve	<i>Saccostrea cucullata</i>				<5%	<5%	<5%			<5%	<5%	<5%	<5%	<5%	<5%	10%			<5%	<5%	
Bivalve	<i>Septifer virgatus</i>																				
Bivalve	<i>Tapes variegatus</i>																				
Chiton	<i>Acanthopleura japonica</i>																				
Crab	<i>Hemigrapsus sanguineus</i>			1			0.8														
Crab	<i>Macrophthalmus sp.</i>	1					0.8														
Crab	<i>Uca lactea</i>								1		1		1.6								
Gastropod	<i>Batillaria multiformis</i>													14	10	7	7	10			38.4
Gastropod	<i>Batillaria zonalis</i>													15	15	25	24	42			96.8
Gastropod	<i>Cellana grata</i>																				
Gastropod	<i>Cerithidea cingulata</i>	7		37	1		36.0				10	5	12.0					21			16.8
Gastropod	<i>Cerithidea diadjarisensis</i>	53		39			73.6				8	30	20	46.4	29	20	45	120	60		219.2
Gastropod	<i>Cerithidea microptera</i>																				
Gastropod	<i>Clithon spp.</i>				2	4	4.8											2			1.6
Gastropod	<i>Littoraria articulata</i>																				
Gastropod	<i>Lunella coronata</i>																				
Gastropod	<i>Monodonta labio</i>																				
Gastropod	<i>Nassarius festivus</i>	10	7	32	200		199.2	80	200	1			224.8				10			8.0	
Gastropod	<i>Nerita albicilla</i>																				
Gastropod	<i>Nerita polita</i>																				
Gastropod	<i>Nipponacmea concinna</i>																				
Gastropod	<i>Planaxis sulcatus</i>																				
Gastropod	<i>Terebralia sulcata</i>										1	2	7	2	9.6						
Hermit Crab	<i>Clibanarius sp.</i>																				
Seaslug	<i>Onchidium sp.</i>																				
Worm	<i>Harmothoe imbricata</i>																				
Worm	<i>Oligochaete sp.</i>																				
Worm	<i>Siphonosoma sp.</i>																				
Worm	<i>Sipunculus sp.</i>																				